

# RAPID RUG GUIDE

## RUG-IV, 48 Group Classification

### ADL Calculation

**Step 1.** To calculate the ADL score use the following chart for Bed Mobility (G0110A), Transfer (G0110B), and Toilet Use (G0110I). **Enter the ADL score for each item.**

Self-Performance Column 1	And	Support Provided Column 2	ADL Score		Record Score
-, 0, 1, 7 or 8	and	-, 0, 1, 2, 3 or 8	0	Bed Mobility =	
2	and	-, 0, 1, 2, 3 or 8	1	Transfer =	
3	and	-, 0, 1 or 2	2	Toilet Use =	
4	and	-, 0, 1 or 2	3		
3 or 4	and	3	4		

**Step 2.** To calculate the ADL score for Eating (G0110H), use the following chart. **Enter ADL score.**

Self-Performance Column 1	And	Support Provided Column 2	ADL Score		Record Score
-, 0, 1, 2, 7 or 8	and	-, 0, 1, or 8	0	Eating =	
-, 0, 1, 2, 7 or 8	and	2 or 3	1		
3 or 4	and	-, 0, or 1	2		
3	and	2 or 3	3		
4	and	2 or 3	4		

**Step 3.** Add the four ADL scores (ADL range 0-16). **Total ADL Score** \_\_\_\_\_

### Category I: Extensive Services

	Extensive Services Treatments
00100E, 2	Tracheostomy Care (while a resident)
00100E, 2	Ventilator/Respirator (while a resident)
00100M, 2	Infection isolation (while a resident)

Extensive Service Conditions (while a resident)	RUG-IV Class
Tracheostomy care <b>and</b> ventilator/respirator	<b>ES3</b>
Tracheostomy care <b>or</b> ventilator/respirator	<b>ES2</b>
Infection isolation without tracheostomy care <b>and</b> without Ventilator/respirator	<b>ES1</b>

### Category II: Rehabilitation

O0400 Therapies		ADL Score	RUG-IV Class
O0400A O0400A, 1, 2, 3 O0400A, 4	<b>Speech-Language Pathology and Audiology Services</b> Individual, Concurrent and Group Minutes Therapy Days	15 - 16	RAE
O0400B O0400B, 1, 2, 3 O0400B, 4	<b>Occupational Therapy</b> Individual, Concurrent and Group Minutes Therapy Days	11 - 14	RAD
O0400C O0400C, 1, 2, 3 O0400C, 4	<b>Physical Therapy</b> Individual, Concurrent and Group Minutes Therapy Days	6 - 10	RAC
		2 - 5	RAB
		0 - 1	RAA

*Continued on next page*



- Received 150 or more minutes **and** at least 5 distinct days of any combination of the 3 disciplines **OR**
- Received 45 or more minutes **and** at least 3 distinct days of any combination of the 3 disciplines **and** 2 or more Restorative Nursing Programs\* (see page 4) received 6 or more days

### Category III: Special Care High Conditions or Services

Special Care High Items		ADL Score	Depressed	RUG-IV Class
B0100	Comatose <b>with</b> ADL-Self-Performance of 4 or 8	15 - 16	Yes	HE2
I2100	Septicemia	15 - 16	No	HE1
I2900	Diabetes Mellitus (DM) <b>with</b>	11 - 14	Yes	HD2
N0350A	• Insulin injections for all 7 days and	11 - 14	No	HD1
N0350B	• Insulin order changes on 2 or more days	6 - 10	Yes	HC2
I5100	Quadriplegia <b>with</b> ADL score >=5	6 - 10	No	HC1
I6200	COPD <b>with</b>	2 - 5	Yes	HB2
J1100C	Shortness of breath when lying flat	2 - 5	No	HB1
J1550A	Fever <b>with</b> one of the following:	<b>**Tube feeding requirements for entire 7-days:</b> (1) Proportion of total calories received through parenteral or tube feeding (K0710A3) is 51% or more of total calories <b>OR</b> (2) Proportion of total calories received through parenteral or tube feeding (K0710A3) is 26% to 50% of total calories and average fluid intake per day (K0710B3) is 501 cc or more		
I2000	• Pneumonia			
J1550B	• Vomiting			
K0300, 1 or 2	• Weight Loss			
K0510B, 1 or 2	• Feeding Tube <b>with</b> requirements**			
K0510A, 1 or 2	Parenteral/IV feeding			
O0400D, 2	Respiratory Therapy for all 7 days			

#### Resident is considered Depressed for RUG Classification if:

- The Total Severity Score PHQ-9© (D0300) which includes items D0200A-I (Resident Interview) is greater than or equal to 10, but not 99 **OR**
- The Total Severity Score PHQ-9-OV© (D0600) which includes items D0500A-J (Staff Assessment) is greater than or equal to 10

### Category IV: Special Care Low Conditions or Services

Special Care Low Items		ADL Score	Depressed	RUG-IV Class
I4400	Cerebral Palsy <b>with</b> ADL score >=5	15 - 16	Yes	LE2
I5200	Multiple Sclerosis <b>with</b> ADL score >= 5	15 - 16	No	LE1
I5300	Parkinson's Disease, <b>with</b> ADL score >=5	11 - 14	Yes	LD2
I6300	Respiratory Failure <b>with</b>	11 - 14	No	LD1
O0100C, 2	• Oxygen therapy (while a resident)	6 - 10	Yes	LC2
K0510B, 1 or 2	Feeding tube <b>with</b> requirements**	6 - 10	No	LC1
M0300B, 1	Two or more Stage 2 pressure ulcers <b>with</b>	2 - 5	Yes	LB2
	• Two or more selected skin treatments+	2 - 5	No	LB1
M0300C, 1	Stage 3 pressure ulcer <b>or</b>	<b>**Tube feeding requirements for entire 7-days:</b> (1) Proportion of total calories received through parenteral or tube feeding (K0710A3) is 51% or more of total calories <b>OR</b> (2) Proportion of total calories received through parenteral or tube feeding (K0710A3) is 26% to 50% of total calories and average fluid intake per day (K0710B3) is 501 cc or more		
M0300D, 1	Stage 4 pressure ulcer <b>or</b>			
M0300F, 1	Unstageable-Slough and/or eschar <b>with</b>			
	• Two or more selected skin treatments+			
M1030	Two or more Venous/Arterial ulcers <b>with</b>			
	• Two or more selected skin treatments+			
M0300B, 1	One stage 2 pressure ulcer <b>and</b>			
M1030	One Venous/Arterial ulcer <b>with</b>			
	• Two or more selected skin treatments+			
M1040A	Infection of the foot <b>or</b>			
M1040B	Diabetic foot ulcer <b>or</b>			
M1040C	Other open lesion on the foot <b>with</b>			
M1200I	• Application of dressings to feet			
O0100B, 2	Radiation (while a resident)			
O0100J, 2	Dialysis (while a resident)			

Continued on next page

## Category IV: Special Care Low Conditions or Services, continued

*Selected Skin Treatments for Special Care Low	
M1200A M1200B	Pressure reducing device for chair <sup>#</sup> Pressure reducing device for bed <sup>#</sup>
M1200C	Turning/repositioning program
M1200D	Nutrition or hydration intervention to manage skin problems
M1200E	Pressure ulcer care
M1200G	Application of non-surgical dressings (other than to feet)
M1200H	Application of ointments/medications (other than to feet)

**\*For RUG classification count as one treatment even if both are provided**

### Resident is considered Depressed for RUG Classification if:

- The Total Severity Score PHQ-9© (D0300) which includes items D0200A-I (Resident Interview) is greater than or equal to 10, but not 99 **OR**
- The Total Severity Score PHQ-9-OV© (D0600) which includes items D0500A-J (Staff Assessment) is greater than or equal to 10

## Category V: Clinically Complex Conditions or Services

Clinically Complex Items		ADL Score	Depressed	RUG-IV Class
I2000	Pneumonia	15 - 16	Yes	CE2
I4900	Hemiplegia or Hemiparesis <b>with</b> ADL score $\geq 5$	15 - 16	No	CE1
M1040D M1040E	Open lesion(s) other than ulcers, rashes cuts <b>or</b> Surgical wound(s) <b>with</b> any selected skin treatment**	11 - 14 11 - 14 6 - 10	Yes No Yes	CD2 CD1 CC2
M1040F	Burn(s)	6 - 10	No	CC1
O0100A, 2	Chemotherapy (while a resident)	2 - 5	Yes	CB2
O0100C, 2	Oxygen therapy (while a resident)	2 - 5	No	CB1
O0100H, 2	IV medications (while a resident)	0 - 1	Yes	CA2
O0100I, 2	Transfusions (while a resident)	0 - 1	No	CA1

**Selected Skin Treatments for Clinically Complex	
M1200F	Surgical wound care
M1200G	Application of non-surgical dressings (other than to feet)
M1200H	Application of ointments/medications (other than to feet)

### Resident is considered Depressed for RUG Classification if:

- The Total Severity Score PHQ-9© (D0300) which includes items D0200A-I (Resident Interview) is greater than or equal to 10, but not 99 **OR**
- The Total Severity Score PHQ-9-OV© (D0600) which includes items D0500A-J (Staff Assessment) is greater than or equal to 10

## Category IV: Special Care Low Conditions or Services, continued

*Selected Skin Treatments for Special Care Low	
C0200	Repetition of three words
C0300 C0300A,B,C	<b>Temporal Orientation</b> Able to report correct year, month and day of the week
C0400 C0400A,B,C	<b>Recall</b> Able to recall "sock", "blue", "bed"
C0500	<b>BIMS Summary Score (a score <math>\leq 9</math> is considered cognitively impaired)</b>

*(If resident is non-interviewable, go to Step 2)*

## Category VI: Behavioral Symptoms and Cognitive Performance

### Step 2 - Cognitive Performance Scale (CPS) - Staff Assessment

B0100 = 1	Comatose <b>with</b> ADL-Self-Performance of 4 or 8 <b>OR</b>
C1000 = 3	Severely impaired cognitive skills <b>OR</b>
Two or more of the following impairment indicators:	
B0700 > 0	Makes Self Understood (problem being understood)
C0700 = 1	Short-Term Memory (problem)
C1000 > 0	Cognitive Skills for Daily Decision Making (problem)
<b>AND</b>	
One or both of the following severe impairment indicators:	
B0700 >= 2	Makes Self Understood (severe problem being understood)
C1000 >= 2	Cognitive Skills for Daily Decision Making (severe problem)

(If none apply, go to Step 3)

Step 3 - Behavioral Symptoms		ADL Score	Restorative Nursing	RUG-IV Class
E0100A	Hallucinations	2 - 5	2 or more	BB2
E0100B	Delusions	2 - 5	0 or 1	BB1
E0200A, 2 or 3	Physical behavioral symptoms directed toward others	0 - 1	2 or more	BA2
E0200B, 2 or 3	Verbal behavioral symptoms directed toward others	0 - 1	0 or 1	BA1
E0200C, 2 or 3	Other behavioral symptoms <b>not</b> directed toward others			
E0800, 2 or 3	Rejection of care			
E0900, 2 or 3	Wandering			

(Evaluate for Restorative Nursing Programs)

## Category VII: Reduced Physical Function

The Restorative Nursing Programs apply to the following categories:

- Rehabilitation
- Behavioral Symptoms and Cognitive Performance
- Reduced Physical Function

Step 3 - Behavioral Symptoms		ADL Score	Depressed	RUG-IV Class
H0200C	Current toileting program or trial <sup>#</sup>	15 - 16	2 or more	PE2
H0500	Bowel toileting program <sup>#</sup>	15 - 16	0 or 1	PE1
O0500A	Range of motion (passive) <sup>#</sup>	11 - 14	2 or more	PD2
O0500B	Range of motion (active) <sup>#</sup>	11 - 14	0 or 1	PD1
O0500C	Splint or brace assistance	6 - 10	2 or more	PC2
O0500D	Bed mobility <sup>#</sup>	6 - 10	0 or 1	PC1
O0500F	Walking <sup>#</sup>	2 - 5	2 or more	PB2
O0500E	Transfer	2 - 5	0 or 1	PB1
O0500G	Dressing and/or grooming	0 - 1	2 or more	PA2
O0500H	Eating and/or swallowing	0 - 1	0 or 1	PA1
O0500I	Amputation/Prosthesis care			
O0500J	Communication			

<sup>#</sup>For RUG classification count as one program even if both are provided

